

# DISCUSS THE VARIOUS FLAGS OF 8085 MICROPROCESSOR Academic PDF

## Discuss the Various Flags of 8085 Microprocessor

The 8085 microprocessor, developed by Intel in the 1970s, is a popular 8-bit microprocessor known for its simplicity and versatility. One of the key features that enable the 8085 microprocessor to perform complex operations efficiently is its set of flags. These flags are special bits within the processor's status register that reflect the outcome of arithmetic and logical operations, control the flow of programs, and facilitate decision-making processes.

Understanding the various flags of the 8085 microprocessor is essential for anyone learning about microprocessor architecture, assembly language programming, or embedded system design. These flags provide critical information about the result of an operation, such as whether it produced a zero, caused a carry, or resulted in a sign change. This information can be used to implement conditional branching, loops, and other control structures, making the flags an integral part of microprocessor operation.

In this comprehensive article, we will explore each of the flags of the 8085 microprocessor in detail, explaining their functions, significance, and how they are set or reset during various operations. We will also discuss how these flags influence program flow and the overall operation of the microprocessor.

## Overview of the Flags in 8085 Microprocessor

The 8085 microprocessor has a 5-bit flag register, known as the Program Status Word (PSW), which contains the following flags:

- Sign Flag (S)
- Zero Flag (Z)
- Auxiliary Carry Flag (AC)
- Parity Flag (P)
- Carry Flag (CY)

Each flag serves a specific purpose and is affected by different types of instructions, especially arithmetic and logical operations.

## Detailed Explanation of Each Flag

### 1. Sign Flag (S)

The Sign Flag indicates the sign of the result of an operation, especially in arithmetic operations involving signed numbers.

- Function:

The S flag is set to 1 if the most significant bit (MSB) of the result is 1, indicating a negative number in two's complement notation. Conversely, it is reset to 0 if the MSB is 0, indicating a positive number.

- How it is set or reset:
  - Set (S=1) when the MSB of the result is 1.
  - Reset (S=0) when the MSB is 0.

- Application:

The Sign flag is useful for signed arithmetic operations and for implementing conditional branch instructions based on the sign of the result.

### 2. Zero Flag (Z)

The Zero Flag indicates whether the result of an operation is zero.

- Function:

The Z flag is set to 1 if the result of an operation is zero, and reset to 0 otherwise.

- How it is set or reset:
  - Set (Z=1) when the result is zero.
  - Reset (Z=0) when the result is non-zero.

- Application:

The Zero flag is crucial for conditional jump instructions like JZ (Jump if Zero) and JNZ (Jump if Not Zero), enabling decision-making based on whether a calculation yields zero.

### 3. Auxiliary Carry Flag (AC)

The Auxiliary Carry flag is used mainly for BCD (Binary Coded Decimal) arithmetic.

- Function:

It indicates a carry from the lower nibble (4 bits) to the higher nibble during an addition or a borrow during subtraction.

- How it is set or reset:
  - Set (AC=1) if there is a carry from bit 3 to bit 4 during addition.
  - Reset (AC=0) if no such carry occurs.

- Application:

The AC flag is primarily used in BCD addition and subtraction operations to adjust the result for correct decimal representation.

### 4. Parity Flag (P)

The Parity Flag reflects the parity (even or odd number of 1s) in the result.

- Function:

It is set to 1 if the number of 1s in the result is even, and reset to 0 if odd.

- How it is set or reset:
  - Set (P=1) when the number of 1s in the result is even.
  - Reset (P=0) when the number of 1s is odd.

- Application:

The Parity flag is useful for error detection, especially in communication protocols, and is utilized in conditional instructions like JP (Jump if Parity).

## 5. Carry Flag (CY)

The Carry Flag indicates an overflow in arithmetic operations.

- Function:

It is set to 1 if an arithmetic operation results in a carry out of the MSB during addition or a borrow in subtraction.

- How it is set or reset:
  - Set (CY=1) when a carry or borrow occurs.
  - Reset (CY=0) when no carry or borrow occurs.

- Application:

The CY flag is essential for multi-byte arithmetic operations, such as addition of larger numbers, and for implementing division algorithms.

## How Flags Are Set and Reset in 8085 Microprocessor

The flags are automatically affected by specific instructions, especially arithmetic and logical operations. Here are some key points:

- Addition (ADD, ADC):

These instructions update all relevant flags based on the result.

- Subtraction (SUB, SBB):

Similar to addition, these instructions affect the flags accordingly.

- Logical operations (ANA, ORA, XRA):

These influence the Zero, Sign, and Parity flags, but not the Carry flag.

- Compare (CMP):

Performs subtraction without storing the result but updates flags.

- Increment and Decrement (INX, DCR):

Affect the flags based on the resulting value.

Note: The Auxiliary Carry flag is mainly affected during BCD addition/subtraction, and the Carry flag is affected by operations that generate overflow or require carry beyond 8 bits.

## Significance of Flags in Program Control

The flags serve as a decision-making tool within assembly language programs. Conditional jump and call instructions rely on the states of these flags to determine the flow of execution. Here are some common instructions that utilize flags:

- JZ (Jump if Zero):

Jumps when Zero flag is set.

- JNZ (Jump if Not Zero):

Jumps when Zero flag is reset.

- JC (Jump if Carry):

Jumps if Carry flag is set.

- JNC (Jump if No Carry):

Jumps if Carry flag is reset.

- JP (Jump if Parity):

Jumps if Parity flag is set.

- JPE (Jump if Parity Even):

Same as JP.

- JM (Jump if Minus):

Jumps if Sign flag is set.

- JPE (Jump if Parity Even):

Similar to JP.

By examining the flags, the microprocessor can make intelligent decisions, enabling complex control flow in programs.

## Conclusion

The flags of the 8085 microprocessor are fundamental to its operation, providing vital information about the outcomes of various instructions and facilitating control flow. Each flag ? Sign, Zero, Auxiliary Carry, Parity, and Carry ? plays a unique role in arithmetic, logical operations, and decision-making processes.

Understanding how these flags are set, reset, and utilized in program control is essential for effective assembly language programming and microprocessor-based system design. Properly leveraging the flags allows developers to create efficient, reliable, and intelligent programs that respond dynamically to the data processed by the microprocessor.

Mastery of the 8085 flags not only enhances one's understanding of microprocessor architecture but also serves as a foundation for studying more advanced processors and embedded systems.

Flags of 8085 Microprocessor play a crucial role in the operation and control of the processor, acting as indicators for various conditions resulting from arithmetic, logical, and control operations. These flags provide essential status information that influences decision-making processes within programs, enabling conditional operations, branching, and system control. Understanding the

different flags of the 8085 microprocessor is fundamental for anyone involved in embedded systems, microprocessor programming, or digital design, as they form the backbone of the processor's ability to handle complex tasks efficiently.

## Introduction to 8085 Microprocessor Flags

The 8085 microprocessor, an 8-bit microprocessor introduced by Intel in the 1970s, is renowned for its simplicity and versatility. Central to its operation are the flags, which collectively indicate the outcome of an operation and influence subsequent processing steps. The flags in the 8085 are stored in the Flag Register, a 1-bit wide register comprising individual bits, each representing specific status conditions. These flags are typically set or reset based on the result of arithmetic or logical instructions, and they serve as critical control signals for decision-making in microprogramming.

Understanding the various flags, their functions, and how they interact with instructions is vital for efficient programming and system design. The flags of the 8085 are mainly five in number: Sign Flag (S), Zero Flag (Z), Auxiliary Carry Flag (AC), Parity Flag (P), and Carry Flag (CY).

## Types of Flags in 8085 Microprocessor

### 1. Sign Flag (S)

The Sign Flag indicates the sign of the result of an operation. It is set if the most significant bit (MSB) of the result is 1, which signifies a negative number in signed binary representation.

Features:

- Set (S=1): When the MSB of the result is 1, indicating a negative number.
- Reset (S=0): When the MSB is 0, indicating a positive number.

Pros:

- Enables signed number operations.
- Useful for conditional branching based on the sign of the result.

Cons:

- Only relevant in signed arithmetic; not used in unsigned operations.

## 2. Zero Flag (Z)

The Zero Flag is set when the result of an operation is zero, and reset otherwise.

Features:

- Set (Z=1): When the result is zero.
- Reset (Z=0): When the result is non-zero.

Pros:

- Critical for decision-making in loops and conditional statements.
- Simplifies the implementation of equality checks.

Cons:

- Only indicates zero; does not provide information about the magnitude or sign.

## 3. Auxiliary Carry Flag (AC)

The Auxiliary Carry Flag is used primarily in binary-coded decimal (BCD) arithmetic. It indicates a carry generated from the lower nibble (4 bits) to the higher nibble in an 8-bit operation.

Features:

- Set (AC=1): When a carry occurs from bit 3 to bit 4 during addition.
- Reset (AC=0): When no such carry occurs.

Pros:

- Essential for BCD operations.
- Helps in proper adjustment of results in decimal arithmetic.

Cons:

- Not useful outside BCD operations.
- Its significance is limited in purely binary computations.

## 4. Parity Flag (P)

The Parity Flag reflects the parity of the number of set bits (1s) in the result. It is set if the number of 1s is even and reset if odd.

Features:

- Set (P=1): When the number of 1s in the result is even.
- Reset (P=0): When the number of 1s is odd.

Pros:

- Useful in error detection algorithms.
- Simplifies parity checks in communication protocols.

Cons:

- Limited to applications requiring parity checking.
- Does not indicate anything about the magnitude or sign.

## 5. Carry Flag (CY)

The Carry Flag indicates an overflow out of the most significant bit in addition or a borrow in subtraction.

Features:

- Set (CY=1): When an arithmetic operation results in a carry out of the MSB (for addition) or a borrow (for subtraction).
- Reset (CY=0): When no overflow or borrow occurs.

Pros:

- Essential for multi-byte (multi-word) arithmetic operations.
- Critical for unsigned arithmetic operations.

Cons:

- Not relevant for signed arithmetic in the context of overflow detection.
- Requires careful handling during multi-byte operations.

### Flag Register of 8085

The flags are stored in the Flag Register, which is an 8-bit register but only five bits are used for flags, with the remaining bits generally unused or reserved. The bits are named as follows:

| Bit Position | Flag Name            | Description                               |
|--------------|----------------------|-------------------------------------------|
| -----        | -----                | -----                                     |
| 7            | Sign Flag (S)        | Sign of the result                        |
| 6            | Zero Flag (Z)        | Zero result indicator                     |
| 5            | Auxiliary Carry (AC) | Carry from bit 3 to 4                     |
| 4            | Parity Flag (P)      | Parity of the result                      |
| 3            | Carry Flag (CY)      | Carry out of MSB or borrow in subtraction |

The other bits (0-2) are not used for flags in the 8085 architecture.

### Functionality and Interactions of Flags

The flags are primarily affected by arithmetic and logical instructions such as ADD, SUB, INR, DCR, and logical AND, OR, etc. They provide real-time status updates about the operation's result, which can then influence subsequent instruction execution.

Example:

- In an addition operation, if the result exceeds 8 bits, the Carry Flag is set.
- If the result is zero, the Zero Flag is set.

- The Sign Flag indicates whether the result is positive or negative.
- The Parity Flag helps in error detection by checking even parity.
- The Auxiliary Carry Flag assists in decimal arithmetic.

Conditional Branching:

Many instructions, such as JZ (Jump if Zero) or JC (Jump if Carry), depend on the status of these flags to determine the flow of control.

## Advantages of Using Flags in 8085

- Efficient Control: Flags allow the microprocessor to make decisions dynamically based on operation outcomes.
- Simplifies Programming: Conditional instructions based on flags simplify complex logic implementation.
- Error Detection: Parity and auxiliary carry flags aid in detecting errors or ensuring correct decimal operations.
- Multi-Byte Arithmetic: Carry flags are vital for handling larger numbers spread across multiple bytes.

## Limitations and Disadvantages

- Limited Flag Bits: Only five flags are present, which may not cover all possible status conditions.
- No Sign Magnitude or Overflow Flags: The 8085 lacks specific flags for overflow detection in signed arithmetic.
- Flags Are Not Individually Addressable: They are part of a register, making selective manipulation less straightforward.
- Dependence on Instruction Set: Proper utilization requires understanding which instructions affect which flags.

## Conclusion

The various flags in the 8085 microprocessor form an integral part of its computational and control architecture. They serve as vital indicators that influence decision-making, arithmetic operations, and error detection within embedded systems and microprocessor-based applications. Each flag has a specific role?be it indicating the sign, zero result, parity, auxiliary carry, or overflow?allowing the processor to perform complex tasks efficiently and reliably.

Understanding the nuances of these flags, their interactions, and their applications is essential for

proficient programming and system design. Their efficient use can optimize performance, enhance error detection, and facilitate complex control flow, making the 8085 microprocessor a powerful tool in the realm of digital electronics and embedded systems.

In summary:

- The Sign, Zero, Auxiliary Carry, Parity, and Carry flags collectively provide comprehensive status information.
- They enable conditional operations, error detection, and multi-byte arithmetic.
- Proper understanding and utilization of these flags are fundamental to mastering the 8085 microprocessor.

This detailed exploration underscores the importance of flags in microprocessor architecture, highlighting their features, benefits, and limitations, which are critical for effective system-level programming and design.

**Question** What are the main flags of the 8085 microprocessor? The main flags of the 8085 microprocessor include the Sign Flag (S), Zero Flag (Z), Auxiliary Carry Flag (AC), Parity Flag (P), and Carry Flag (CY). **Answer** How is the Zero Flag (Z) set in the 8085 microprocessor? The Zero Flag is set to 1 when the result of an arithmetic or logic operation is zero; otherwise, it is reset to 0. What is the function of the Carry Flag (CY) in the 8085 microprocessor? The Carry Flag indicates a carry out or borrow into the most significant bit during arithmetic operations, useful for multi-byte calculations. How does the Sign Flag (S) work in the 8085 microprocessor? The Sign Flag is set to 1 if the most significant bit (MSB) of the result is 1, indicating a negative number in two's complement representation. What is the role of the Parity Flag (P) in the 8085 microprocessor? The Parity Flag is set to 1 if the number of 1 bits in the result is even; otherwise, it is reset to 0. When is the Auxiliary Carry Flag (AC) set in the 8085 microprocessor? The Auxiliary Carry Flag is set when there is a carry out of the lower nibble (4 bits) during an addition or borrow during subtraction, useful for BCD operations. Can the flags of the 8085 microprocessor be directly modified by instructions? No, the flags are affected automatically by arithmetic and logical operations; they cannot be directly set or reset by instructions. Why are the flags important in the 8085 microprocessor's operation? Flags help in decision-making, control flow, and condition checking by indicating the status of the last operation performed. How does the Carry Flag influence conditional branching in 8085 assembly language? The Carry Flag is used with conditional jump instructions like JC (Jump if Carry) and JNC (Jump if No Carry) to control program flow based on arithmetic results. Are the flags of the 8085 microprocessor preserved during subroutine calls? Flags are generally preserved during subroutine calls unless explicitly modified; however, some instructions may affect their state temporarily.

**Related keywords:** 8085 microprocessor flags, status flags 8085, 8085 flag register, zero flag 8085, sign flag 8085, parity flag 8085, carry flag 8085, auxiliary carry flag 8085, flags in microprocessors,

8085 processor flags

## microprocessor 8085 notes

**microprocessor 8085 notes** serve as an essential resource for students, engineers, and professionals interested in understanding the fundamentals and applications of this classic 8-bit microprocessor. The Intel 8085 microprocessor, introduced in the 1970s, remains a significant milestone in the evolution of microprocessors, laying the groundwork for modern computing devices. These notes provide comprehensive insights into its architecture, instruction set, pin configuration, and programming techniques, making them invaluable for academic learning and practical implementation.

## Introduction to Microprocessor 8085

The Intel 8085 microprocessor is an 8-bit microprocessor introduced by Intel in 1976. It is an enhanced version of the 8080 microprocessor, offering improved features and ease of programming. The 8085 is widely used in educational institutions and industry projects to teach the fundamentals of microprocessor architecture and programming.

## Key Features of the 8085 Microprocessor

- 8-bit Data Bus
- 16-bit Address Bus (20 address lines with multiplexed address/data bus)
- Minimum system requires only +5V power supply
- Supports 246 instructions
- Includes serial I/O ports
- Supports hardware and software interrupts
- Has built-in serial data communication port

## Architecture of the 8085 Microprocessor

Understanding the architecture of the 8085 microprocessor is crucial for grasping its operation and programming.

## Block Diagram Overview

The main components of the 8085 microprocessor include:

- Arithmetic and Logic Unit (ALU)
- Register Array
- Timing and Control Circuit
- Instruction Register and Decoder
- Serial I/O Control
- Interrupt Control
- Bus Interface Unit

## Register Organization

The 8085 has several registers, including:

- Six 8-bit general-purpose registers: B, C, D, E, H, L
- Four 16-bit register pairs: B-C, D-E, H-L, and the Stack Pointer (SP)
- Program Counter (PC): 16-bit register that holds the address of the next instruction
- Accumulator (A): 8-bit register used for arithmetic and logic operations

## Flag Register

The flag register contains five flags:

- Sign Flag (S)
- Zero Flag (Z)
- Auxiliary Carry Flag (AC)
- Parity Flag (P)
- Carry Flag (CY)

## Pin Configuration of the 8085 Microprocessor

The 8085 microprocessor features 40 pins, each with specific functions vital for system interfacing.

### Major Pin Functions

- **Vcc**: Power supply (+5V)
- **GND**: Ground
- **SID**: Serial Data Input
- **SOD**: Serial Data Output
- **IO/M**: Indicates whether the operation is memory or I/O

- **ALE**: Address Latch Enable, used for demultiplexing address/data bus
- **RD**: Read signal
- **WR**: Write signal
- **IO/ M**: Memory or I/O operation select
- **READY**: Indicates if the system is ready to proceed
- **RESET IN**: Resets the microprocessor
- **CLK**: Clock input for synchronization

## Instruction Set of the 8085 Microprocessor

The instruction set comprises operations for data transfer, arithmetic, logic, control, and branching.

### Classification of Instructions

- Data Transfer Instructions
- Arithmetic Instructions
- Logic Instructions
- Control Instructions
- Branch Instructions

### Common Instructions

- **MVI**: Move immediate data to register
- **LXI**: Load register pair with immediate data
- **ADD**: Add register or memory to accumulator
- **SUB**: Subtract register or memory from accumulator
- **CMP**: Compare accumulator with register or memory
- **JMP**: Jump to specified address
- **CALL**: Call subroutine
- **RET**: Return from subroutine
- **HLT**: Halt the processor

## Addressing Modes in 8085

The microprocessor supports various addressing modes to access data efficiently.

### Types of Addressing Modes

- Immediate addressing
- Register addressing
- Direct addressing
- Indirect addressing
- Implied addressing

## Examples of Addressing Modes

- MVI A, 32H (Immediate)
- LDA 2050H (Direct)
- MVI B, C (Register)
- MOV A, M (Indirect)

## Programming of the 8085 Microprocessor

Programming the 8085 involves writing assembly language instructions to control hardware operations.

### Steps to Write a Program

- Define the problem and algorithm
- Write assembly language instructions
- Assemble the code using an assembler
- Load the machine code into memory
- Execute and debug the program

### Sample Program: Addition of Two Numbers

```
```assembly
```

```
LXI H, 2500H ; Load address of first number
```

```
MOV A, M ; Load first number into accumulator
```

```
INX H ; Point to second number
```

```
MOV B, M ; Load second number into register B
```

```
ADD B ; Add second number to accumulator
```

LXI D, 3000H ; Load address for result storage

MOV M, A ; Store result

HLT ; Halt

...

## Interfacing and Applications of 8085 Microprocessor

The 8085 microprocessor is versatile and can be interfaced with various peripherals and systems.

### Interfacing Devices

- Memory devices (RAM, ROM)
- I/O devices (keyboards, displays)
- Sensors and actuators

### Common Applications

- Embedded systems
- Automation and control systems
- Educational kits for microprocessor learning
- Industrial automation

## Advantages and Disadvantages of the 8085 Microprocessor

### Advantages

- Simple architecture suitable for learning
- Low power consumption
- Supports a wide range of instructions
- Easy to interface with peripherals
- Minimal system requirements (only +5V supply)

### Disadvantages

- Limited data and address bus width (8-bit data, 16-bit address)
- Slower compared to modern microprocessors
- Lacks advanced features like pipelining and multiprocessing
- Obsolete for current high-performance applications

## Conclusion

The **microprocessor 8085 notes** provide foundational knowledge essential for understanding early microprocessor technology. Despite being a vintage processor, the 8085 remains a vital educational tool for grasping the basic principles of microprocessor design, instruction set architecture, and interfacing techniques. Its simplicity, combined with rich instructional material, makes it an ideal starting point for students and enthusiasts venturing into embedded systems and hardware programming.

### Microprocessor 8085 Notes

The Intel 8085 microprocessor stands as a cornerstone in the evolution of embedded systems and computer architecture. Introduced in the early 1970s, this 8-bit microprocessor laid the groundwork for subsequent generations of microprocessors, owing to its simplicity, versatility, and extensive educational and industrial applications. As a part of the Intel 8080 family, the 8085 microprocessor became a popular choice for learning and developing basic computing concepts, owing to its relatively straightforward architecture and abundant support resources. This article offers a comprehensive exploration of the 8085 microprocessor, delving into its architecture, instruction set, interfacing methods, operational characteristics, and significance in the broader context of microprocessor development.

## Introduction to the 8085 Microprocessor

The 8085 microprocessor is an 8-bit microprocessor introduced by Intel in 1976, succeeding the 8080 with enhancements in power management and interfacing capabilities. It is designed to execute a variety of operations, including arithmetic, logical, control, and data transfer functions. Its broad adoption in academic curricula and industrial applications is largely due to its straightforward architecture, ease of understanding, and the availability of comprehensive notes and documentation.

Key Features of the 8085 Microprocessor:

- 8-bit architecture with a 16-bit address bus, capable of addressing 64 KB of memory.
- 74 instructions covering data transfer, arithmetic, logical operations, control, and branching.
- 16-bit stack pointer and program counter for efficient control flow.

- Integrated clock generator circuit, eliminating the need for an external clock oscillator.
- Multiple supporting I/O ports, enabling direct interfacing with peripheral devices.
- Power supply requirement: +5V DC, with low power consumption.

This combination of features made the 8085 an ideal platform for both learning and practical embedded system design.

## Architecture of the 8085 Microprocessor

Understanding the architecture of the 8085 is crucial for grasping its operational principles. The microprocessor's architecture is built around several key components working in unison to perform instructions efficiently.

### Block Diagram Overview

The 8085 microprocessor's architecture comprises the following primary components:

- Arithmetic and Logic Unit (ALU): Performs all arithmetic operations (addition, subtraction) and logical operations (AND, OR, NOT, XOR).
- Registers: Include general-purpose registers (B, C, D, E, H, L), accumulator (A), and special purpose registers like the flag register.
- Program Counter (PC): Holds the address of the next instruction to be executed.
- Stack Pointer (SP): Points to the top of the stack in memory.
- Instruction Register and Decoder: Fetches and decodes instructions.
- Timing and Control Unit: Generates control signals for synchronized operation.
- Serial I/O Control: Manages serial data communication.
- Interrupt Control: Handles hardware and software interrupts.
- Bus Interface: Connects the processor with memory and I/O devices via data, address, and control buses.

### Registers in 8085

The register organization of the 8085 is designed for efficient data handling:

- Accumulator (A): The primary register for arithmetic and logical operations.
- General Purpose Registers (B, C, D, E, H, L): Can be used independently or combined as pairs (e.g., H-L or B-C) for 16-bit operations.
- Flag Register: Stores condition flags (sign, zero, auxiliary carry, parity, carry) that reflect the status after operations.

- Program Counter (PC): 16-bit register pointing to the next instruction.
- Stack Pointer (SP): 16-bit register indicating the current top of the stack.

The architecture's design allows for easy data movement and processing, facilitating instruction execution.

## Instruction Set of the 8085 Microprocessor

The instruction set defines the operations that the 8085 can perform. It forms the basis for programming the microprocessor and understanding its capabilities.

### Categories of Instructions

The 8085 instruction set can be broadly categorized into:

- Data Transfer Instructions: Move data between registers, memory, and I/O ports.
- Arithmetic Instructions: Perform addition, subtraction, increment, and decrement operations.
- Logical Instructions: Conduct logical operations like AND, OR, XOR, and compare.
- Control Instructions: Facilitate program control flow through jumps, calls, returns, and interrupts.
- Stack Instructions: Push and pop data onto and from the stack.
- Input/Output Instructions: Enable data exchange with external devices.

### Example Instructions and Their Functions

- MOV r1, r2: Copy data from register r2 to r1.
- MVI r, data: Load immediate data into register r.
- ADD r: Add register r to the accumulator.
- SUB r: Subtract register r from the accumulator.
- JMP address: Jump to a specified memory address.
- CALL address: Call a subroutine at the specified address.
- IN port: Read data from an I/O port.
- OUT port: Send data to an I/O port.

The instruction set's simplicity and comprehensiveness make the 8085 suitable for educational purposes and basic embedded applications.

## Timing and Control of the 8085

Synchronization and timing are vital for correct microprocessor operation. The 8085 microprocessor

incorporates a timing and control unit that generates control signals to coordinate the activities of various components.

## Clock Generation

The 8085 contains an on-chip clock generator, which simplifies circuit design. It uses a crystal oscillator (typically between 3-5 MHz) connected to the X1 and X2 pins, generating the necessary clock pulses for synchronization.

## Timing Signals

The key timing signals include:

- T-State: A basic unit of timing during which one operation occurs.
- Machine Cycles (M): Comprise multiple T-states and correspond to specific operations like memory read/write.
- Clock Cycles (Q): The smallest timing unit, often used in timing analysis.

## Control Signals

The control signals generated include:

- ALE (Address Latch Enable): Used to latch address information.
- IO/M: Distinguishes between memory and I/O operations.
- RD (Read): Indicates a memory or I/O read operation.
- WR (Write): Indicates a memory or I/O write operation.
- RESET IN: Resets the processor to a known state.

Proper understanding of these signals is essential for interfacing the 8085 with external devices.

## Interfacing the 8085 Microprocessor

Interfacing involves connecting the microprocessor with peripherals, memory modules, and input/output devices, turning the microprocessor into a functional system.

## Memory Interfacing

- The 8085 supports up to 64KB of memory address space.

- Memory is connected via the address bus (A0-A15) and data bus (D0-D7).
- Control signals like RD and WR facilitate read and write operations.

## I/O Interfacing

- I/O ports: The 8085 supports 256 I/O ports, accessible via IN and OUT instructions.
- Memory-mapped I/O: Uses the same address space for memory and I/O.
- Peripheral devices: Including keyboards, displays, sensors, etc., can be interfaced using proper control circuitry.

## Interfacing External Devices

Designing interfacing circuits requires understanding signal levels, timing constraints, and power requirements. Common interfacing devices include:

- LED displays and LCDs.
- Keyboards and switches.
- Sensors and actuators.
- External memory chips like RAM and ROM.

Effective interfacing expands the microprocessor's capabilities in real-world applications.

## Operational Modes and Power Management

The 8085 microprocessor operates primarily in a single mode, but understanding its power management features is essential for embedded systems.

### Operating Modes

- The 8085 operates in a straightforward manner with synchronous control signals.
- It can run in normal operation mode, executing sequences of instructions.

## Power Consumption and Management

- Designed for low power consumption (~3W typical).
- Power supply requirements are simple (+5V DC).
- Power-saving techniques include shutting down unused peripherals and employing clock gating

strategies.

## Applications and Significance of the 8085 Microprocessor

The 8085's design simplicity and educational value have cemented its place in the history of computing. Its applications span:

- Educational purposes: Teaching microprocessor architecture, assembly language programming, and interfacing.
- Embedded systems: Small-scale automation, control systems, and instrumentation.
- Industrial automation: Assembly line controllers and instrumentation.
- Historical significance: Served as a stepping stone toward more complex microprocessors like the 8086 and later architectures.

Despite being over four decades old, the 8085 remains relevant in academic settings and for hobbyist projects, thanks to its straightforward design and wealth of available resources.

## Conclusion

The Intel 8085 microprocessor stands as a fundamental building block in understanding computer architecture and embedded system design. Its architecture, instruction set, and interfacing capabilities provide

**Question** What are the main features of the 8085 microprocessor? The 8085 microprocessor is an 8-bit microprocessor with a 16-bit address bus, capable of addressing 65,536 memory locations. It operates at a clock frequency up to 3 MHz, has built-in serial I/O, and supports a wide range of instructions, making it suitable for various embedded applications. **What is the architecture of the 8085 microprocessor?** The 8085 microprocessor has a 40-pin dual in-line package (DIP) with a 8-bit data bus and a 16-bit address bus. Its architecture is based on the von Neumann model, featuring a central processing unit (CPU), registers, ALU, control and timing circuits, and interfaces for memory and I/O devices. **What are the main registers in the 8085 microprocessor?** The 8085 microprocessor includes several registers: the accumulator (A), the general-purpose registers (B, C, D, E, H, L), the program counter (PC), the stack pointer (SP), and temporary registers like the flag register (F). These registers facilitate data manipulation, program control, and status indication. **What are the different addressing modes supported by the 8085 microprocessor?** The 8085 supports multiple addressing modes including immediate, direct, indirect, register, and implied addressing. These modes determine how the operand's location or value is specified in instructions, enabling flexible data access and manipulation. **What is the significance of the 8085 microprocessor in modern electronics?** Although largely replaced by more advanced microprocessors, the 8085 remains fundamental in understanding microprocessor architecture and

operation. It is widely used in educational settings for teaching digital logic, assembly language programming, and embedded system concepts. What are the typical applications of the 8085 microprocessor? The 8085 microprocessor has been used in applications such as embedded control systems, industrial automation, robotics, data acquisition systems, and educational kits for learning microprocessor concepts. Where can I find reliable notes and resources on the 8085 microprocessor? Reliable notes and resources on the 8085 microprocessor can be found in textbooks like 'Microprocessor Architecture, Programming, and Applications with the 8085' by Ramesh S. Gaonkar, online educational platforms, and official datasheets and manuals provided by manufacturers and educational institutions.

**Related keywords:** 8085 microprocessor, microprocessor notes, 8085 architecture, 8085 programming, 8085 instruction set, microprocessor basics, 8085 training, 8085 datasheet, 8085 applications, microprocessor tutorials

**Read the full article online:** [Microprocessor 8085 Notes](#)

## microprocessor 8085 diploma

**Microprocessor 8085 Diploma:** Your Gateway to Understanding the Fundamentals of Microprocessors

In the rapidly evolving world of electronics and computer engineering, the **microprocessor 8085 diploma** program serves as an essential stepping stone for students and professionals aiming to deepen their understanding of microprocessor architecture, programming, and applications. This diploma course offers comprehensive knowledge about the Intel 8085 microprocessor, which has historically been one of the most influential microprocessors in the development of modern computing. Whether you're a budding engineer, a technician, or an electronics enthusiast, acquiring a diploma in microprocessor 8085 equips you with vital skills that are highly valued in various industries, including embedded systems, automation, and digital electronics.

## What is the Microprocessor 8085?

The **microprocessor 8085** is an 8-bit microprocessor introduced by Intel in the late 1970s. It is renowned for its simplicity, versatility, and ease of programming, making it an ideal choice for students and beginners to learn the fundamentals of microprocessor design and operation.

## Key Features of Microprocessor 8085

- 8-bit data bus and 16-bit address bus
- Supports 16-bit address lines, capable of addressing up to 64 KB memory
- Includes 246 instructions, covering data transfer, arithmetic, logic, control, and machine control operations
- Uses a set of 74 I/O pins for interfacing with peripherals
- Operates on a single +5V power supply
- Includes built-in clock generator and serial I/O ports

## Why Pursue a Microprocessor 8085 Diploma?

Choosing to pursue a **microprocessor 8085 diploma** provides numerous benefits, especially for those interested in embedded systems and digital electronics.

### Advantages of the Diploma Program

- **Foundation in Microprocessor Architecture:** Gain a thorough understanding of the internal architecture of the 8085 microprocessor.
- **Practical Skills:** Hands-on training in programming, interfacing, and designing microprocessor-based systems.
- **Career Opportunities:** Opens doors to roles such as embedded systems engineer, hardware designer, and technical trainer.
- **Strong Base for Advanced Studies:** Acts as a stepping stone for learning advanced microprocessors and microcontrollers like 8086, 8051, ARM, etc.
- **Industry-Relevant Knowledge:** Equip yourself with skills that are directly applicable in industries like automation, robotics, and consumer electronics.

## Curriculum and Course Content of the Microprocessor 8085 Diploma

A typical **microprocessor 8085 diploma** course covers a broad spectrum of topics to ensure learners develop both theoretical understanding and practical skills.

### Core Subjects Covered

- Introduction to Microprocessors and Microcontrollers
- 8085 Microprocessor Architecture and Programming
- Instruction Set and Assembly Language Programming
- Interfacing Techniques and Peripheral Devices
- Memory and I/O Interfacing
- Timing and Control Signals

- Programming Examples and Projects
- Troubleshooting and Debugging Microprocessor Systems

## Practical Training and Projects

Practical sessions form an integral part of the curriculum, involving:

- Writing assembly language programs
- Designing simple microprocessor-based systems
- Interfacing keyboards, displays, and sensors
- Developing real-time embedded applications

## Skills You Will Acquire from a Microprocessor 8085 Diploma

Completing a **microprocessor 8085 diploma** course bestows learners with a variety of technical skills, including:

### Technical Skills

- Understanding of microprocessor architecture and operation
- Assembly language programming
- Interfacing peripherals such as keyboards, displays, and sensors
- Designing and debugging microprocessor-based circuits
- Implementation of control systems and automation projects

### Soft Skills

- Analytical thinking and problem-solving
- Project management and teamwork during practical projects
- Technical documentation and reporting

## Career Opportunities After Completing a Microprocessor 8085 Diploma

The knowledge gained from a **microprocessor 8085 diploma** opens diverse career paths in electronics and embedded systems.

### Potential Job Roles

- Embedded Systems Engineer
- Hardware Design Engineer
- Microprocessor Programmer
- Automation Engineer
- Technical Trainer and Instructor
- Research and Development Engineer

## Industries Employing Microprocessor Skills

- Consumer Electronics
- Automotive Industry
- Robotics and Automation
- Medical Devices
- Telecommunications
- Industrial Automation

## How to Choose the Right Institute for Microprocessor 8085 Diploma

Selecting a reputable institute is crucial to gaining quality education and practical exposure.

### Factors to Consider

- Accreditation and certification of the institute
- Experienced faculty with industry background
- Practical training and lab facilities
- Industry tie-ups and placement assistance
- Course curriculum aligned with current industry standards

## Future Scope and Advancements in Microprocessor Technology

While the **microprocessor 8085** remains a foundational topic, technological advancements lead to more sophisticated processors.

### Progression Pathways

- Further studies in microcontrollers such as 8051, PIC, AVR
- Learning advanced microprocessors like 8086, 80286, ARM architectures
- Specialization in embedded systems development

- Exploring FPGA and CPLD-based design
- Transitioning into IoT (Internet of Things) and smart device development

## Conclusion: Embark on Your Microprocessor Learning Journey

A **microprocessor 8085 diploma** offers a robust foundation for anyone interested in electronics, embedded systems, and digital design. It combines theoretical knowledge with practical skills, preparing learners to excel in diverse technological fields. Whether you aim to start a career in electronics or pursue further studies, this diploma is an invaluable asset that opens numerous doors. By choosing the right institution and dedicating yourself to hands-on learning, you can master microprocessor technology and position yourself as a competent professional in the ever-expanding world of electronics and automation.

Start your journey today and embrace the future of technology with a strong understanding of the microprocessor 8085!

### Microprocessor 8085 Diploma: Unlocking the Foundations of Modern Computing

In the rapidly evolving landscape of digital technology, understanding the core components that power modern devices is essential for aspiring engineers and technologists. One such foundational element is the microprocessor, and among the various models available, the Microprocessor 8085 stands out as a critical learning milestone for students pursuing a diploma in electronics, computer engineering, or related fields. The microprocessor 8085 diploma program provides a comprehensive pathway for learners to grasp the intricacies of microprocessor architecture, programming, and applications, laying the groundwork for advanced studies and practical implementations in the world of digital systems.

### What is the Microprocessor 8085?

The Intel 8085 is an 8-bit microprocessor introduced by Intel in the late 1970s. It is renowned for its simplicity, versatility, and foundational role in the evolution of microprocessors. Designed to be compatible with its predecessor, the 8080, the 8085 incorporates improvements that make it suitable for educational purposes, embedded systems, and initial hardware design projects.

Key features of the 8085 include:

- 8-bit Data Bus: Facilitates data transfer in 8-bit chunks.
- 16-bit Address Bus: Can address up to 64 KB of memory.
- Instruction Set: Comprises about 246 instructions, enabling a broad range of operations.
- Power Supply: Operates with a single 5V power supply, simplifying circuit design.

- Clock Speed: Typically runs at 3 MHz, though variations exist.
- Integrated Control and Timing Circuits: Reduces external component requirements.
- Built-in Serial I/O: Supports serial communication.

The microprocessor's architecture, instruction set, and programming techniques serve as an ideal starting point for students seeking a diploma in microprocessor technology, offering both theoretical knowledge and practical skills.

### Significance of a Microprocessor 8085 Diploma in Technical Education

The microprocessor 8085 diploma program holds a pivotal place in technical education. It bridges the gap between theoretical concepts of digital electronics and real-world hardware implementation. For students, it offers:

- Fundamental Understanding: Grasping how microprocessors process instructions, manage data, and communicate with peripherals.
- Hands-on Experience: Learning assembly language programming and hardware interfacing.
- Problem-Solving Skills: Developing logical thinking through circuit design and troubleshooting.
- Foundation for Advanced Topics: Preparing for studies in microcontrollers, embedded systems, and computer architecture.

Institutions offering this diploma typically include modules on architecture, programming, interfacing, and practical projects, empowering students to develop competencies valuable in industries such as automation, embedded systems, robotics, and consumer electronics.

### Architecture of the 8085 Microprocessor

Understanding the architecture of the 8085 is essential for mastering its operation and programming.

- Register Organization
  - Accumulator (A): The primary register for arithmetic and logic operations.
  - General Purpose Registers (B, C, D, E, H, L): Used for temporary data storage and manipulation.
  - Program Counter (PC): Holds the address of the next instruction to execute.
  - Stack Pointer (SP): Points to the top of the stack in memory.
  - Flag Register: Stores status flags like zero, sign, parity, carry, and auxiliary carry.

- ALU (Arithmetic Logic Unit)

Performs arithmetic and logical operations, working in conjunction with registers and flags.

- Timing and Control Circuits

Generate clock signals and control signals necessary for instruction execution.

- Instruction Decoder

Interprets instructions fetched from memory and directs the microprocessor's operations.

- Serial I/O Control

Supports serial communication through dedicated circuits.

- Memory and I/O Addressing

Uses a 16-bit address bus to access 64 KB memory space and I/O ports.

### Instruction Set and Programming

The 8085's instruction set is designed to be simple yet comprehensive, enabling learners to perform various operations efficiently.

#### Types of Instructions:

- Data Transfer Instructions: MOV, MVI, LXI, LDA, STA
- Arithmetic Instructions: ADD, ADI, SUB, SUI, INR, DCR
- Logical Instructions: ANA, ORA, XRA, CMP
- Control Instructions: JMP, JC, JZ, CALL, RET, NOP, HLT
- Stack and I/O Instructions: PUSH, POP, IN, OUT

#### Programming in Assembly Language:

Students learn to write assembly programs to perform tasks like addition, subtraction, data transfer,

and control flow management. Practice involves understanding instruction syntax, addressing modes, and optimizing code for efficiency.

### Interfacing and Practical Applications

The 8085 microprocessor's versatility shines through its ability to interface with external devices, making it suitable for embedded system projects and hardware experiments.

Common Interfacing Tasks Include:

- Memory Interfacing: Connecting RAM and ROM chips to expand memory.
- I/O Device Interfacing: Connecting keyboards, displays, sensors, and actuators.
- Timer and Counter Circuits: Using 8085 to manage timing operations.
- Peripheral Devices: Interfacing with devices like LCDs, keyboards, and printers.

Practical training involves designing circuits on breadboards, programming microprocessors to perform real-time tasks, and troubleshooting hardware-software integration issues.

### Educational Pathways and Career Opportunities

Completing a microprocessor 8085 diploma opens diverse avenues:

- Embedded Systems Design: Creating firmware for consumer electronics, automotive systems, and industrial equipment.
- Automation and Robotics: Developing control systems for manufacturing.
- Hardware Design and Testing: Building and debugging digital circuits.
- Further Education: Pursuing advanced certifications or degrees in microcontrollers, FPGA design, or computer architecture.

Many students leverage their diploma to secure positions as junior engineers, embedded system developers, or hardware technicians in reputed tech firms.

### Challenges and Future Trends

While the 8085 microprocessor is a valuable educational tool, it also presents certain limitations:

- Outdated Technology: Modern microcontrollers and processors employ 32-bit or higher architectures.

- Limited Features: Absence of integrated peripherals like timers, ADC/DAC, and communication modules.
- Learning Curve: Assembly language programming can be complex for beginners.

However, the foundational knowledge gained from studying the 8085 remains relevant. It prepares students for newer technologies by instilling a deep understanding of low-level hardware operations.

Looking ahead, the skills acquired through a microprocessor 8085 diploma can be seamlessly transferred to learning microcontrollers like ARM, PIC, or AVR, which dominate today's embedded systems landscape.

## Conclusion

The microprocessor 8085 diploma is more than just an academic credential; it is a gateway into the intricate world of digital electronics and computing. By exploring the architecture, instruction set, interfacing techniques, and programming methods associated with the 8085, students develop a solid foundation that supports further technological pursuits. As industries continue to innovate in automation, embedded systems, and IoT, the knowledge gained from this diploma remains invaluable, fostering the next generation of engineers equipped to design, troubleshoot, and optimize digital hardware systems. Whether for academic advancement or career development, mastering the microprocessor 8085 is an essential step in the journey toward mastering modern electronics and computing.

**Question** What is the 8085 microprocessor and why is it important in diploma studies?  
**Answer** The 8085 microprocessor is an 8-bit microprocessor introduced by Intel, widely used for educational purposes to teach fundamental concepts of microprocessor architecture, programming, and interfacing in diploma courses. What are the main features of the Intel 8085 microprocessor? The 8085 microprocessor features a 16-bit address bus, an 8-bit data bus, a maximum clock frequency of 3 MHz, 74 instructions, and supports real-time clock, serial I/O, and interrupt handling. What are the basic components of the 8085 microprocessor system? The basic components include the 8085 microprocessor, memory units (RAM/ROM), input/output devices, clock generator, and interface circuits to connect peripherals. How does the 8085 microprocessor handle data transfer and processing? Data transfer and processing in the 8085 are managed through instructions like MOV, MVI, ADD, SUB, and through control signals that coordinate data flow between registers, memory, and I/O devices. What are common applications of the 8085 microprocessor in diploma projects? Common applications include simple automation systems, temperature control systems, digital counters, and interfacing with sensors and displays for educational projects. What are the key instructions in the 8085 microprocessor programming? Key instructions include data transfer (MOV, MVI), arithmetic operations (ADD, SUB), logical operations (ANA, ORA), control instructions (JMP, CALL), and stack operations (PUSH, POP). What are the differences between 8085 and other microprocessors like 8086? The 8085 is an 8-bit microprocessor with simpler architecture suitable

for learning, while the 8086 is a 16-bit processor with more complex features, higher processing power, and used for advanced applications. How can students improve their understanding of the 8085 microprocessor for diploma exams? Students should practice writing assembly language programs, understand hardware interfacing, work on practical projects, and review architecture diagrams to strengthen their knowledge.

**Related keywords:** microprocessor 8085, 8085 microprocessor, 8085 architecture, microprocessor basics, 8085 programming, microprocessor training, 8085 instruction set, diploma electronics, microprocessor projects, 8085 tutorial

**Read the full article online:** [Microprocessor 8085 diploma](#)

## microprocessor architecture programming and applications 8085

**microprocessor architecture programming and applications 8085** is a foundational topic in the field of computer engineering and embedded systems. The 8085 microprocessor, developed by Intel in the 1970s, remains a significant milestone in the evolution of microprocessor technology. Its architecture, programming techniques, and diverse applications have laid the groundwork for modern computing devices. This article delves into the architecture of the 8085 microprocessor, explores programming methodologies, and highlights its practical applications across various industries.

### Overview of the 8085 Microprocessor Architecture

The Intel 8085 is an 8-bit microprocessor with a 16-bit address bus, capable of addressing up to 64KB of memory. Its architecture is designed to be simple yet powerful enough for a variety of applications, making it an ideal introduction to microprocessor design and programming.

### Key Components of 8085 Architecture

The architecture of the 8085 comprises several vital components:

- **Arithmetic and Logic Unit (ALU):** Performs arithmetic operations like addition and subtraction, as well as logical operations such as AND, OR, and XOR.
- **Register Array:** Contains six general-purpose 8-bit registers (B, C, D, E, H, L) and a special accumulator (A) used for arithmetic operations.
- **Program Counter (PC):** Holds the address of the next instruction to be executed.

- **Stack Pointer (SP):** Points to the top of the stack in memory, facilitating subroutine calls and data storage.
- **Timing and Control Unit:** Generates control signals to manage the operation of the microprocessor.
- **I/O Ports:** Includes multiple input/output ports for interfacing with external devices.
- **Memory Interface:** Connects to memory and I/O devices via address and data buses.

## Data Bus and Address Bus

The 8085 features an 8-bit data bus and a 16-bit address bus, enabling it to transfer data and address information between the CPU and memory or peripherals efficiently.

## Programming the 8085 Microprocessor

Programming the 8085 involves writing machine-level instructions or assembly language programs to perform desired operations. Understanding its instruction set and addressing modes is crucial for effective programming.

### 8085 Instruction Set

The instruction set of 8085 includes various categories:

- **Data Transfer Instructions:** MOV, MVI, LDA, STA, etc.
- **Arithmetic Instructions:** ADD, ADC, SUB, INR, DCR, etc.
- **Logical Instructions:** ANA, ORA, XRA, CMP, etc.
- **Branching Instructions:** JMP, JC, JZ, CALL, RET, etc.
- **Stack Instructions:** PUSH, POP
- **Input/Output Instructions:** IN, OUT

Each instruction has specific formats and addressing modes, such as immediate, direct, indirect, register, and implied addressing, providing flexibility in programming.

## Assembly Language Programming

Assembly language programming involves writing mnemonic codes that correspond to machine instructions. For example:

```
``assembly
```

```
MVI A, 32h ; Load immediate data 32h into accumulator
```

LXI H, 2050h ; Load register pair HL with address 2050h

MOV M, A ; Store the value of accumulator into memory location pointed by HL

CALL SUB\_ROUTINE; Call a subroutine

HLT ; Halt the program

...

This low-level programming allows precise control over hardware and is essential for embedded systems development.

## Programming Tools and Techniques

- Emulators and Simulators: Software tools that emulate the 8085 environment, enabling testing and debugging programs without physical hardware.
- Assemblers: Convert assembly language code into machine code that the 8085 can execute.
- Debuggers: Tools to step through code, inspect registers, and monitor memory, facilitating efficient troubleshooting.

## Applications of 8085 Microprocessor

Despite being an older architecture, the 8085 microprocessor has found numerous applications in education, industrial control, and prototyping due to its simplicity and ease of understanding.

### Educational and Training Applications

- Learning Microprocessor Fundamentals: The 8085 serves as an ideal platform for students to understand the core concepts of microprocessor design, instruction set, and interfacing.
- Development of Embedded Projects: Its straightforward architecture allows students and hobbyists to build simple embedded systems like timers, counters, and digital calculators.

### Industrial Automation and Control

- Machine Control Systems: The 8085 is used in controlling machinery, assembly lines, and automation equipment, often interfaced with sensors and actuators.
- Data Acquisition Systems: Its ability to interface with external devices makes it suitable for

collecting and processing data from various sensors.

## Consumer Electronics and Hobbyist Projects

- DIY Electronics Projects: Enthusiasts use the 8085 for developing custom electronic gadgets, digital clocks, and simple robots.
- Prototyping: Engineers utilize the 8085 for rapid prototyping of embedded solutions before migrating to more advanced microcontrollers.

## Military and Space Applications

While more advanced processors have replaced the 8085 in high-end applications, some legacy systems in military and space sectors still utilize 8085 microprocessors due to their reliability and simplicity.

## Advantages and Limitations of the 8085 Microprocessor

### Advantages

- Simple architecture suitable for learning and prototyping.
- Cost-effective and widely available.
- Supports a variety of programming techniques and interfacing options.
- Has comprehensive documentation and community support.

### Limitations

- Limited processing power compared to modern microcontrollers.
- Requires external components like clock circuits, which increases complexity.
- Limited addressing capability (only 64KB memory addressing).
- Not suitable for high-speed or complex applications.

## Future of 8085 Architecture and Programming

While the 8085 microprocessor has been largely phased out in favor of advanced microcontrollers and processors, its principles remain fundamental to understanding modern embedded systems. Its architecture influences the design of subsequent microprocessors like the 8086 and ARM-based processors.

Research and development in embedded systems continue to build upon the foundational knowledge gained from architectures like the 8085. Educational institutions still use it as a teaching tool to introduce students to low-level programming, hardware interfacing, and system design.

## Conclusion

The microprocessor architecture programming and applications of the 8085 have played a pivotal role in the evolution of computing technology. Its simple yet powerful architecture provides an excellent platform for learning and developing embedded systems. Despite being a legacy device, the 8085's influence persists in modern microcontroller design and embedded system education. Whether in academic settings, industrial automation, or hobbyist projects, understanding the 8085 microprocessor opens doors to foundational knowledge that underpins many advanced computing systems today.

### Microprocessor Architecture Programming and Applications 8085

The evolution of computing machinery has been deeply intertwined with the development of microprocessor architectures. Among the foundational models that shaped early microprocessor design and programming is the 8085 microprocessor, an 8-bit microprocessor introduced by Intel in the mid-1970s. Despite its age, the 8085 remains a significant subject of study due to its simplicity, instructional value, and historical importance. This article provides a comprehensive review of microprocessor architecture programming and applications 8085, exploring its architecture, programming aspects, and practical applications, with a focus on its enduring relevance in education and industry.

## Introduction to the 8085 Microprocessor

The 8085 microprocessor was Intel's follow-up to the 8080, offering improvements in power consumption, ease of interfacing, and system design. It was designed as a cost-effective, versatile processor suitable for a broad range of applications, from embedded systems to educational platforms. Its compatibility with the 8080 allowed for easy migration and understanding of legacy systems, making it a popular choice for teaching microprocessor fundamentals.

### Key Features of the 8085:

- 8-bit Data Bus: Capable of processing 8 bits of data simultaneously.
- 16-bit Address Bus: Addressing up to 65,536 memory locations.
- Instruction Set: 74 instructions covering data transfer, arithmetic, logic, control, and machine control.
- Power Supply: Operates on a single 5V power supply, simplifying system design.

- Timing: 4 clock cycles per machine cycle, with a clock frequency up to 3 MHz.
- Integrated Support: Built-in serial I/O ports, timers, and interrupt systems.

Its architecture is designed to be simple yet powerful enough to facilitate understanding of fundamental computing principles.

## Architecture of the 8085 Microprocessor

Understanding the architecture of the 8085 is essential for effective programming and application development. It is based on a von Neumann architecture, where program instructions and data share the same memory space and pathways.

### Register Structure

The core of the 8085 architecture comprises several registers:

- Accumulator (A): The primary register for arithmetic and logic operations.
- General Purpose Registers: B, C, D, E, H, and L, which can be used individually or combined as register pairs.
- Register Pairs: BC, DE, HL, used for addressing, data transfer, and operations.
- Program Counter (PC): 16-bit register pointing to the next instruction.
- Stack Pointer (SP): 16-bit register pointing to the top of the stack.
- Flags Register: Contains status flags (Sign, Zero, Auxiliary Carry, Parity, Carry) reflecting the outcome of operations.

### Arithmetic and Logic Units

The Arithmetic and Logic Unit (ALU) performs calculations and logical operations on data stored in registers or memory. It updates the flags register based on the results to influence control flow.

### Instruction Set and Control Signals

The 8085's instruction set encompasses:

- Data transfer instructions (MOV, MVI, LXI, etc.)
- Arithmetic instructions (ADD, ADI, SUB, SUI, etc.)
- Logical instructions (ANA, ORA, XRA, CMP, etc.)
- Branching and control instructions (JMP, CALL, RET, etc.)
- Input/output instructions (IN, OUT)

Control signals such as ALE, RD, WR, and IO/M manage the data flow and interfacing with external devices.

## Programming the 8085 Microprocessor

Programming the 8085 involves writing assembly language instructions that directly manipulate hardware resources. Its simplicity makes it an ideal starting point for understanding low-level programming.

### Assembly Language Programming

The assembly language for 8085 involves writing mnemonics corresponding to machine instructions. Key aspects include:

- Instruction Formats: Varying lengths, from 1 to 3 bytes.
- Labels and Branching: For flow control.
- Data Transfer: Moving data between registers and memory.
- Arithmetic Operations: Performing addition, subtraction, increment, and decrement.
- Logical Operations: AND, OR, XOR, NOT.
- Input/Output Operations: Using IN and OUT instructions to interface with peripherals.

### Programming Concepts and Techniques

- Memory Addressing Modes: Immediate, direct, register, register indirect, and implied.
- Stack Operations: PUSH and POP for subroutine management.
- Interrupt Handling: Managing hardware and software interrupts for responsive applications.
- Timing and Synchronization: Ensuring proper sequencing of operations in real-time applications.

### Sample Program: Addition of Two Numbers

```
``assembly
```

```
LXI H, 2050h ; Load memory address 2050h into HL pair
```

```
MVI A, 05h ; Load immediate value 05h into accumulator
```

```
MOV B, A ; Move A to register B
```

```
LXI D, 2051h ; Load address 2051h
```

MVI A, 03h ; Load immediate value 03h into accumulator

ADD B ; Add register B to accumulator

MOV M, A ; Store result back to memory at address in HL

...

This program demonstrates data transfer, arithmetic operation, and memory manipulation.

## Applications of 8085 Microprocessor

Despite being a product of the 1970s, the 8085 microprocessor found numerous applications across various domains, owing to its simplicity, availability, and educational value.

### Educational Use

- Teaching Microprocessor Architecture: The 8085 is extensively used in academic settings to illustrate fundamental concepts of microprocessor design.
- Programming Practice: Its assembly language helps students understand low-level programming.
- Simulation and Emulation: Many simulators mimic the 8085 environment for practice and experimentation.

### Embedded Systems

- Control Systems: Used in embedded control applications such as washing machines, traffic light controllers, and industrial automation.
- Measurement Devices: Employed in instrumentation for data acquisition and processing.
- Home Automation: Implementing simple automation tasks in appliances.

### Industrial Applications

- Data Acquisition: Managing sensors and actuators.
- Peripheral Control: Interfacing with displays, keyboards, and communication devices.
- Robotics: Serving as the main controller for basic robotic systems.

### Historical Significance and Legacy

While modern microprocessors have surpassed the 8085 in complexity and processing power, its architecture laid the groundwork for subsequent designs. The 8085 influenced the development of more advanced microcontrollers and embedded processors, and its simplicity continues to make it a pedagogical mainstay.

## Challenges and Limitations

- Limited Processing Power: The 8085's 3 MHz clock speed restricts performance.
- 8-bit Architecture: Inadequate for applications demanding high data throughput.
- Memory Constraints: Address space limited to 64 KB.
- Obsolescence: Modern systems require more advanced architectures, though the 8085 remains relevant as an educational tool.

## Future Perspectives and Relevance

Despite technological advancements, the principles learned from programming 8085 microprocessors remain relevant. The microprocessor's architecture serves as an excellent foundation for understanding embedded system design, assembly language programming, and hardware-software interfacing.

Emerging educational platforms and simulation tools continue to leverage the 8085 to teach microprocessor fundamentals. Furthermore, hobbyists and researchers use it for prototyping simple control systems and learning about low-level programming.

## Conclusion

The microprocessor architecture programming and applications 8085 exemplify the core principles of computer engineering and embedded system design. Its straightforward architecture, instruction set, and interfacing capabilities have cemented its role in education and industry, despite being overtaken by more complex processors. The study of the 8085 offers invaluable insights into the fundamentals of microprocessor operation, assembly language programming, and real-world applications.

As technology continues to evolve, the foundational concepts embodied by the 8085 remain pertinent, underpinning modern embedded systems and microcontroller design. Its legacy persists not only in its historical significance but also as an essential educational resource for aspiring engineers and programmers.

## References

- Ramesh Gaonkar, "Microprocessor Architecture, Programming, and Applications with the 8085," Penram International Publishing, 2000.
- B. Ram, "Microprocessors and Microcontrollers," Oxford University Press, 2012.
- Intel Corporation, "Intel 8085 Microprocessor Data Sheet," 1976.
- M. Morris Mano, "Computer System Architecture," Pearson, 2013.

This review underscores the enduring importance of the 8085 microprocessor in understanding computing fundamentals and its continuous influence on embedded system design.

**Question** What are the main features of the 8085 microprocessor architecture? The 8085 microprocessor features a 8-bit data bus, a 16-bit address bus allowing access to 64KB memory, a set of 74 instructions, and includes an accumulator, temporary registers, and flags. It operates at 3 MHz and supports simple interfacing with peripherals. How does the microprocessor architecture of 8085 influence its programming techniques? The 8085's architecture, with its limited registers and instruction set, requires programmers to efficiently manage memory and register usage, often using direct memory addressing, stack operations, and minimal instruction cycles to optimize performance. What are common applications of the 8085 microprocessor? The 8085 is widely used in embedded systems, educational kits for learning microprocessor fundamentals, industrial automation, simple control systems, and interfacing with sensors and peripherals due to its simplicity and ease of programming. How do I write an assembly program to add two 8-bit numbers in 8085? To add two 8-bit numbers in 8085, load each number into registers (e.g., B and C), use the ADD or ADC instructions to perform addition, and store the result in a register or memory. For example: MOV A, B; ADD C; then the result is in register A. What are the key differences between 8085 and other microprocessors like 8086? The 8085 is an 8-bit processor with a simple architecture suitable for beginners, while the 8086 is a 16-bit processor with a more complex architecture, supporting advanced features like segment registers, larger memory addressing, and more powerful instruction sets. How can I interface peripherals like a keyboard or display with 8085? Interfacing peripherals involves connecting input/output devices to the microprocessor via I/O ports or memory-mapped I/O, using control signals, and writing assembly routines to read inputs or send outputs, often through the use of ports like IN and OUT instructions. What are the common instruction sets used in 8085 programming? The 8085 instruction set includes data transfer instructions (MOV, MVI), arithmetic operations (ADD, SUB), logical operations (ANA, ORA), control flow instructions (JMP, CALL), and machine control instructions (HLT, NOP). What are the limitations of the 8085 microprocessor in modern applications? The 8085's limitations include its limited processing speed, 8-bit data width, small memory addressing capacity (64KB), and lack of modern features like integrated peripherals, making it unsuitable for complex or high-speed applications today. How does interrupt handling work in the 8085 microprocessor? The 8085 supports five hardware interrupts (TRAP, RST 7.5, RST 6.5, RST 5.5, INTR). When an interrupt occurs, the microprocessor acknowledges the interrupt, saves the current state, and jumps to the corresponding interrupt service routine, allowing real-time event handling. What is the significance of the timing and control signals in 8085 microprocessor programming? Timing and control signals synchronize data transfer between the microprocessor

and peripherals, manage read/write operations, and coordinate execution of instructions. Proper understanding ensures efficient interfacing and correct program execution.

**Related keywords:** 8085 microprocessor, assembly language programming, microprocessor architecture, embedded systems, instruction set, hardware design, system programming, 8-bit microcontroller, data transfer, interrupt handling

**Read the full article online:** [Microprocessor architecture programming and applications 8085](#)

## Block Diagram Internal Architecture 8085 Microprocessor

**block diagram internal architecture 8085 microprocessor** serves as a fundamental blueprint that illustrates how this early microprocessor is organized internally. Understanding its architecture is crucial for students, engineers, and enthusiasts who aim to grasp the working principles of microprocessors and their applications in various digital systems. The 8085 microprocessor, introduced by Intel in the 1970s, played a pivotal role in the evolution of computing technology, and its internal architecture reflects the design philosophies of that era—simplicity, modularity, and efficiency. This article provides a comprehensive overview of the internal architecture of the 8085 microprocessor, explaining each component's role and interconnections to offer a detailed insight into its functioning.

### Overview of the 8085 Microprocessor

The Intel 8085 microprocessor is an 8-bit microprocessor capable of addressing up to 65,536 bytes of memory (64KB). It operates with a clock frequency of 3 MHz (standard) and features a set of 74 instructions, making it suitable for various embedded applications. Its architecture is categorized as a Single Chip Microprocessor, integrating most of the necessary components internally, with external support for memory and peripherals.

The core of the 8085's internal architecture is designed around several key blocks, each performing specific functions to facilitate instruction execution, data handling, and communication with external devices. These blocks include the Arithmetic Logic Unit (ALU), registers, timing and control circuits, and communication interfaces.

## Block Diagram of Internal Architecture of 8085 Microprocessor

The block diagram of the 8085 microprocessor showcases the interconnected components that form its internal architecture. The main blocks are:

- Accumulator (A)
- Register B, C, D, E, H, L
- Program Counter (PC)
- Stack Pointer (SP)
- Instruction Register and Decoder
- Timing and Control Circuits
- Arithmetic and Logic Unit (ALU)
- Flags Register
- Serial I/O Control
- Interrupt Control
- Clock Generator
- Bus Interface (Address, Data, Control Buses)

Each of these blocks has a specific function, and their collaboration ensures the processor can execute instructions efficiently.

## Core Components of the Internal Architecture

### 1. Arithmetic and Logic Unit (ALU)

The ALU is the heart of the 8085 microprocessor, responsible for performing all arithmetic operations (addition, subtraction, etc.) and logical operations (AND, OR, XOR, etc.). It is designed to work with an 8-bit data bus and interacts directly with the accumulator and flags register to store results and status information.

Functions:

- Performs arithmetic calculations.
- Executes logical operations.
- Sets or resets flags based on the results.

### 2. Registers

The 8085 contains several registers that temporarily store data and addresses:

- Accumulator (A): The primary register used for arithmetic and data transfer.
- General Purpose Registers (B, C, D, E, H, L): Used for temporary data storage and addressing.
- Program Counter (PC): Holds the address of the next instruction to be executed.
- Stack Pointer (SP): Points to the current top of the stack in memory.

These registers facilitate quick data handling and support instruction execution.

### 3. Flags Register

The flags register contains individual bits that indicate the status of the ALU operations. The five main flags are:

- Zero (Z): Set if the result is zero.
- Sign (S): Reflects the sign of the result.
- Parity (P): Set if the number of 1s in the result is even.
- Carry (CY): Set if there is a carry out or borrow into the most significant bit.
- Auxiliary Carry (AC): Used for BCD operations.

The flags are essential for decision-making in programs, such as conditional branching.

### 4. Timing and Control Circuits

These circuits generate necessary timing signals to synchronize internal operations and manage control signals for external devices. They include:

- Clock Generator: Provides the timing pulses for the processor.
- Control Signal Generator: Produces signals like RD (Read), WR (Write), IO/M, ALE, and SSO/SI to coordinate data transfer and peripheral communication.

### 5. Instruction Register and Decoder

This block fetches instructions from memory, stores them temporarily, and decodes them to generate control signals for execution. It ensures that each instruction is correctly interpreted and executed by the processor.

### 6. Serial I/O Control

The 8085 includes serial input/output control for communication with serial peripherals, supporting simple data exchange protocols.

### 7. Interrupt Control

Supports hardware interrupts, allowing external devices to request the CPU's attention. The 8085 has five interrupt pins: INTR, RST 7.5, RST 6.5, RST 5.5, and INTR, which are handled with priority

and acknowledgment mechanisms.

## 8. Bus Interface

The bus interface connects the internal components to external memory and I/O devices through:

- Address Bus: 16 lines (A0-A15) for memory and I/O addressing.
- Data Bus: 8 lines (D0-D7) for data transfer.
- Control Bus: Includes control signals like RD, WR, IO/M, and signals generated by the control circuits.

This interface manages data flow between the microprocessor and external components.

## Operational Workflow of the 8085 Internal Architecture

Understanding the internal architecture is incomplete without examining how these components work together during instruction execution:

- Fetch Cycle:
  - The Program Counter (PC) places the address of the next instruction onto the address bus.
  - The control signals enable memory read (RD), fetching the instruction into the Instruction Register.
  - The instruction decoder interprets the instruction.
- Decode and Execute:
  - Based on the instruction, the control unit activates relevant parts.
  - Data is transferred between registers, or memory access is initiated.
  - The ALU performs calculations if needed.
  - Flags are updated based on results.
- Write Back / Data Transfer:

- Results may be stored in the accumulator or other registers.
- Data may be written to memory or I/O devices via control signals.

This cycle repeats for each instruction, orchestrated by the control and timing circuits.

## Significance of Internal Architecture in System Design

The internal architecture of the 8085 microprocessor is crucial for understanding how embedded systems, computers, and digital devices are designed. It provides insights into:

- How instructions are processed internally.
- The role of registers and ALU in computation.
- How external communication is managed.
- The importance of control signals and timing for synchronization.

Designers can optimize system performance by understanding these internal structures, enabling efficient programming and hardware interfacing.

## Conclusion

The block diagram internal architecture of the 8085 microprocessor encapsulates a well-thought-out design that balances simplicity with functionality. Its components—ranging from registers and the ALU to control and timing circuits—work in harmony to execute instructions efficiently. Despite being an older architecture, the principles underlying the 8085's internal structure remain foundational in understanding more advanced microprocessors. By studying its internal architecture, engineers and students gain valuable insights into microprocessor design, operation, and system integration, forming a cornerstone for further exploration into digital electronics and computer architecture.

### Block Diagram Internal Architecture 8085 Microprocessor

The block diagram internal architecture 8085 microprocessor serves as a foundational blueprint that reveals how this pioneering 8-bit microprocessor operates internally. Since its inception in the early 1970s by Intel, the 8085 has been instrumental in the evolution of computing technology, providing a comprehensive yet accessible architecture that balances complexity with clarity. Understanding the internal architecture through its block diagram is essential for students, engineers, and enthusiasts seeking to grasp how data flows, how instructions are processed, and how various components collaborate within this microprocessor. This article delves into the detailed internal architecture of the 8085, highlighting the functions and interconnections of its core components.

### Overview of the 8085 Microprocessor Block Diagram

The internal architecture of the 8085 microprocessor can be visualized as an interconnected network of functional units, each with a specific role. The primary units include the Arithmetic and Logic Unit (ALU), Register Array, Timing and Control Circuit, Interrupt Control, Serial I/O, and Memory and I/O Interface Circuits. These components work harmoniously to fetch, decode, execute instructions, and handle input/output operations.

The block diagram's central feature is the Data Bus, which facilitates data transfer among various units. The Address Bus specifies memory and I/O locations, while the control signals orchestrate the operation timings. The architecture emphasizes modularity, allowing each component to perform its designated task efficiently.

### Core Components of the 8085 Internal Architecture

#### - Arithmetic and Logic Unit (ALU)

At the heart of the 8085 lies the ALU, which performs all arithmetic operations (addition, subtraction, etc.) and logical operations (AND, OR, XOR, etc.). It interacts closely with the register array to process data, and its operations are controlled via specific control signals.

#### - Functions:

- Addition and subtraction
- Logical operations
- Data comparison
- Shift and rotate operations (through instructions)

#### - Highlights:

- Supports 8-bit data operations
- Contains internal flags: Zero (Z), Sign (S), Parity (P), Carry (CY), Auxiliary Carry (AC)

#### - Register Array

The register array comprises several registers essential for temporary data storage and manipulation:

- General Purpose Registers: B, C, D, E, H, L
- Special Registers:

- Accumulator (A): Used for arithmetic and logical operations
- Stack Pointer (SP): Points to the top of the stack
- Program Counter (PC): Holds the address of the next instruction

These registers are interconnected with the ALU and can be addressed directly or indirectly, depending on the instruction.

- Timing and Control Circuit

This section generates the necessary control signals to coordinate the microprocessor's operations. It receives clock signals and produces timing signals such as:

- ALE (Address Latch Enable): Used to demultiplex address/data lines
- RD (Read): Indicates read operation
- WR (Write): Indicates write operation
- IO/M: Differentiates between memory and I/O operations
- S0, S1, S2: Status signals indicating the current operation stage

The control circuit ensures synchronization among various internal units and external devices, orchestrating seamless data flow.

- Clock Generator

A stable clock signal is vital for synchronizing operations. The 8085's clock generator produces a clock frequency (commonly 3 MHz) derived from an external crystal oscillator, which drives the entire internal circuitry.

- Interrupt Control System

The 8085 supports hardware and software interrupts, allowing responsive interaction with external devices. The interrupt control block manages:

- Interrupt Request (INTR)
- Reset (TRAP)
- Serial Interrupts (RST7.5, RST6.5, RST5.5)

It prioritizes and acknowledges interrupts, enabling the microprocessor to handle multiple sources efficiently.

- Serial I/O Control

This unit manages communication with serial devices via the SID (Serial Input Data) and SOD (Serial Output Data) lines. It is especially useful in applications requiring serial communication protocols.

### Address and Data Buses

- Multiplexed Address/Data Bus (AD0-AD7)

The 8085 uses a multiplexed bus system where the same pins carry both address and data signals at different times:

- During the first part of the machine cycle, these pins carry the address.
- During subsequent phases, they carry data.

This multiplexing reduces pin count but necessitates external circuitry (such as latch circuits) to separate address and data signals.

- Address Bus (A8-A15)

These higher-order address lines are un multiplexed and carry the most significant bits of the memory address throughout the cycle. They directly interface with memory and I/O devices.

### Data Flow and Instruction Cycle

Understanding the internal architecture's role in data flow provides insight into how the 8085 processes instructions:

- Fetch Cycle: The Program Counter (PC) places the address of the next instruction onto the address bus. The control circuit enables the memory to send the instruction to the Data Bus, which is then loaded into the Instruction Register.
- Decode Cycle: The instruction decoder interprets the instruction and activates the necessary

control signals.

- Execute Cycle: Data is transferred between registers, ALU performs calculations, and results are stored back into memory or registers as needed.

The internal architecture ensures these steps are executed in a synchronized manner, governed by the control signals and clock pulses.

### External Interface Components

While the internal architecture handles computation and control, the 8085 also interfaces with external devices via:

- Memory Interface: Connects to RAM, ROM, and other memory units.
- I/O Interface: Connects to input/output devices like keyboards, displays, etc.
- Serial Communication: Via SOD and SID lines for serial data transfer.

External interface circuitry, such as latch circuits for address/data demultiplexing, plays a crucial role in facilitating communication with external hardware.

### Significance of the Internal Architecture

The internal architecture of the 8085 microprocessor exemplifies a well-balanced design optimized for simplicity and functionality. Its modular structure allows for ease of understanding, troubleshooting, and educational exploration. Engineers and developers leverage this architecture to design embedded systems, learning platforms, and even early microcontroller-based applications.

Moreover, the architecture's emphasis on multiplexed buses, control signals, and interrupt management set the stage for more advanced microprocessors in subsequent generations. The 8085's internal architecture remains a cornerstone in microprocessor education and a testament to the ingenuity of early microprocessor design.

### Conclusion

The block diagram internal architecture 8085 microprocessor is a comprehensive illustration of how this historic processor functions internally. From the ALU's arithmetic prowess to the control circuitry that orchestrates operations, each component contributes to the seamless execution of instructions. Its architecture embodies a blend of simplicity and sophistication, making it an ideal starting point for understanding microprocessor design. As technology has evolved, the principles embedded within the 8085's internal architecture continue to influence modern computing systems, underscoring its enduring legacy in the field of electronics and computer engineering.

**Question** What are the main components of the internal architecture of the 8085 microprocessor's block diagram? The main components include the Arithmetic Logic Unit (ALU), registers (such as accumulator and general purpose registers), the program counter, stack pointer, timing and control circuitry, and the interrupt control system. How does the 8085 microprocessor's internal architecture facilitate data transfer between registers? Data transfer between registers is managed through internal buses controlled by the timing and control circuitry, enabling efficient movement of data within the CPU for processing. What role does the ALU play in the internal architecture of the 8085 microprocessor? The ALU performs all arithmetic and logical operations, acting as the computational core of the 8085, and interacts with registers to process data. How are the program counter and stack pointer utilized within the internal architecture of the 8085? The program counter holds the address of the next instruction to be executed, while the stack pointer points to the top of the stack in memory, both essential for control flow and subroutine management. What is the significance of the timing and control unit in the 8085's internal architecture? The timing and control unit generates control signals and manages the timing of operations, coordinating data movement and processing to ensure synchronized execution. How does the internal architecture of the 8085 microprocessor support interrupt handling? The architecture includes an interrupt control system that detects interrupt signals, prioritizes them, and temporarily halts current operations to service the interrupt through dedicated control circuitry. What is the function of the accumulator in the internal architecture of the 8085? The accumulator is a special register used to store intermediate and final results of arithmetic and logic operations performed by the ALU. Does the 8085 microprocessor have internal memory, and how is it organized in its block diagram? The 8085 does not have internal memory; instead, it interfaces with external memory and I/O devices, with internal registers and control circuitry managing data flow. How are input/output devices interfaced with the internal architecture of the 8085? I/O devices are connected via the I/O ports controlled by the microprocessor's control signals, allowing data exchange between external peripherals and internal registers. Why is understanding the block diagram's internal architecture important for working with the 8085 microprocessor? Understanding the internal architecture helps in designing, troubleshooting, and optimizing microprocessor-based systems by providing insights into data flow and control mechanisms.

**Related keywords:** 8085 microprocessor, internal architecture, block diagram, microprocessor components, data bus, control signals, accumulator, ALU, timing and control, registers, system interconnections

**Read the full article online:** [Block diagram internal architecture 8085 microprocessor](#)